



CR200L-ALF - 200mm Wafer Carrier PFA

Pozzetta will protect your valuable products from particles, ESD damage, outgassed components, and high costs. Companies around the world trust Pozzetta to create secure environments for the semiconductor, electronics, and medical industries.

Dimensions	Features and Benefits	CR200L-ALF
<p>Capacity: 26</p> <p>Overall Size: 234mm (9.21in) x 210mm (8.26in) x 156mm (6.14in)</p> <p>D₁ Dimension – distance from the H-shaped end surface to the center line of the first pocket (SEMI Std): 25.4mm (1in)</p> <p>Pocket Spacing – The distance between pocket center lines: 6.35mm (0.25in)</p> <p>Pocket Flat – The width of the pocket at its narrowest distance: 1.65mm (0.065in)</p>	<ul style="list-style-type: none"> • 26th slot holds dummy wafer that shields production wafers and increases yield • H-shaped end for equipment interface • E-shaped handle on the end wall • Low profile • Increased cleaning and drying efficiency • Precision cleaned by <u>Pozzetta Micro Clean</u> <p style="text-align: center;">Material Description</p> <p>Perfluoroalkoxy (PFA) is a high purity process wafer carrier material with high heat resistance and outstanding chemical resistance.</p>	 